



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

Milwaukee Public Schools
Milwaukee Sign Language Elementary
7900 W Acacia St
Milwaukee, WI

2/9/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Improper Hold		
3-501.16	Milk post service was at 46F. Potentially hazardous food must be held cold at 41 degrees or below. Discard milk stored over 41F. COS	2/9/2016
CDC Risk Violation(s):	1	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-304.12	Scoops were found with handles in contact with food items. Store in use utensils with handles up and away from food items to prevent cross contamination. COS	2/9/2016
4-501.11	Kick plates along hall, kitchen entrance are bent and coming away from wall. Repair	2/23/2016

Good Practice Violation(s): 2

Total Violations: 3

Notes:

Food Safety plan is on site and is in process of updating. Temperature logs and employee illness reporting agreements are complete.

On 2/9/2016, I served these orders upon Milwaukee Public Schools by leaving this report with

Inspector Signature (Inspector ID:114)

Est. # 823644

Operator Signature

Page 1 of 1